Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	39	("60".clas. and @pd<"20021002") and ((outlet near3 temperature) with "greater")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/30 13:02
L2	39	(60/277.ccls. and @pd<"20021002") and ((temperature) with "greater" and activation)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/30 13:03
L3	25	(60/277.ccls. and @pd<"20021002") and ((temperature) with ("greater" and activation))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/30 13:05
L4	7	(60/277.ccls. and @pd<"20021002") and ((temperature) with ("greater" with activation))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/30 13:05
L5	0	("60".clas. and @pd<"20021002") and (("first-order lag" and "dead time") with (exhaust near5 flow))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/30 13:14
L6	8	("60".clas. and @pd<"20021002") and (("first-order lag" and "dead time"))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/30 13:18
L7	2	"5390489".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/30 13:20
L8	7	6 and "flow"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/30 13:20

L9	7	8 and "transfer"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/30 13:21
L10	0	8 and (transfer with flow)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/30 13:21
L11	0	8 and (lag with flow)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/30 13:21
L12	0	8 and (dead with flow)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/30 13:27
L13	23	73/118.1.ccls. and "transfer function"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/30 13:27
L14	0	73/118.1.ccls. and "inverse transfer function"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/30 13:27
L15	23	73/118.1.ccls. and "transfer function"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/30 13:27
L16	10	("5301501" | "5335538" | "5365216" | "5832724" | "5839274" | "5899062" | "6119447" | "6192986" | "6216448").PN. OR ("6550237"). URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/12/30 14:20
L18	0	(60/277.ccls. and @pd<"20021002") and (problem with (parked or ("not" near5 traveling) or (constant near5 speed)))	US-PGPUB; USPAT; USOCR	OR	ON	2005/12/30 14:32

L19	27	(KUBOSHIMA ADJ TSUKASA).IN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/12/30 14:32
L20	19	(OKUGAWA ADJ SHINICHIRO).IN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/12/30 14:32
L21	52	(KINUGAWA ADJ MASUMI).IN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/12/30 14:33
L22	35	(SEKIGUCHI ADJ KIYONORI).IN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/12/30 14:33
L23	36	(18 19 20 21 22) AND "60".CLAS.	US-PGPUB; USPAT; USOCR	OR	ON	2005/12/30 14:40
L24	7	((18 19 20 21 22) AND "60".CLAS. and "transfer function")	US-PGPUB; USPAT; USOCR	OR	ON	2005/12/30 14:40
S1	358	60/272.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/28 11:56
S2	1129	60/277.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/28 11:57
S3	452	60/282.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/28 11:57
S4	1916	60/285.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/28 11:57
S5	1294	60/286.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/28 11:57

S6	131	60/287.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/28 11:57
S7	971	60/295.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/28 11:57
S8	1035	60/297.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/28 11:59
S9	3615	(S1 S2 S3 S4 S5 S6 S7 S8) and @pd<"20021002"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/29 07:15
S10	2	"5211010".PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/29 07:17
S11	358	60/272.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/29 07:17
S12	1129	60/277.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/29 07:17
S13	452	60/282.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/29 07:17

S14	1920	60/285.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/29 07:17
S15	1297	60/286.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/29 07:17
S16	131	60/287.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/29 07:17
S17	976	60/295.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/29 07:17
S18	1040	60/297.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/29 07:17
S19	3615	(S11 S12 S13 S14 S15 S16 S17 S18) and @pd<"20021002"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/29 07:17
S20	46	S19 and "transfer function"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/29 08:33
S21	3	S19 and "inverse transfer function"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/30 07:58

S22	0	S19 and "inverse transfer function" and "dead time"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/29 08:34
S23	25	S19 and "transfer function" and "dead time"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/29 08:34
S24	17	S19 and "transfer function" and "dead time" and "lag"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/29 08:38
S25	8	S19 and "transfer function" and "first-order lag"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/29 08:39
S26	5	S19 and "transfer function" and "first-order lag" and "dead time"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/29 09:37
S35	46	S19 and (catalyst with (second adj temperature))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/29 10:04
S36	5	S19 and (catalyst with (second adj temperature)) and (temperature near5 estimate)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/29 10:06
S37	8	S19 and (catalyst with (second adj temperature)) and (temperature near5 calculate)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/29 10:46

S38	8	"60".clas. and ("transfer function" with (catalyst adj temperature))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/29 10:48
S39	9	"60".clas. and ("transfer function" with (catalyst near5 temperature))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/29 10:48
S40	0	("60""."277".ccls. and @pd<"20021002") and ("predetermined" and (engine near5 parameter))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/30 08:00
S41	209	(60/277.ccls. and @pd<"20021002") and ("predetermined" and (engine near5 parameter))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/30 08:04
S42	4	(60/277.ccls. and @pd<"20021002") and ("predetermined" and (engine near5 parameter) and (catalyst near5 "second temperature"))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/30 10:50
S43	0	(60/277.ccls. and @pd<"20021002") and (("outlet temperature") and ("activation temperature"))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/30 10:51
S44	3	(60/277.ccls. and @pd<"20021002") and ((outlet near5 temperature) and ("activation temperature"))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/30 10:56
S45	691	(60/277.ccls. and @pd<"20021002") and (outlet temperature)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/30 10:56

S46	89	(60/277.ccls. and @pd<"20021002") and ((outlet temperature) with "activation")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/30 10:57
S47	0	(60/277.ccls. and @pd<"20021002") and (("outlet temperature") with "activation")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/30 11:07
S48	7	(60/277.ccls. and @pd<"20021002") and ("outlet temperature")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/30 10:58
S49	13	(60/277.ccls. and @pd<"20021002") and ("outlet temperature" or (downstream adj temperature))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/30 10:58
S50	106	(60/277.ccls. and @pd<"20021002") and ((outlet adj (temperature or sensor)) or (downstream adj (temperature or sensor)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/30 10:59
S51	1	(60/277.ccls. and @pd<"20021002") and (((outlet adj (temperature or sensor)) or (downstream adj (temperature or sensor))) with "activation")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/30 11:00
S52	106	(60/277.ccls. and @pd<"20021002") and ((outlet adj (temperature or sensor)) or (downstream adj (temperature or sensor)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/30 11:00
S53	2	("60".clas. and @pd<"20021002") and (("outlet temperature") with "activation")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/30 11:11

| S54 | 12 | ("60".clas. and @pd<"20021002") and (("outlet temperature") with "greater") | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/12/30 12:56 |